PATENT COOPERATION TREATY

PCT

TRANSLATION INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

	nt's or agent's file reference 2237 . 1PCT	FOR FURTHER ACTION	See Form PCT/IPEA/416						
Internation	onal application No.	International filing date (da	ıy/month/year)	Priority date (day/month/year)					
PCT	/EP2004/011722	18.10.2004		16.10.2003					
International Patent Classification (IPC) or national classification and IPC									
D01H4/44,D01H1/16,D01H4/00									
, ,,,									
Applicant SAURER GMBH & CO. KG									
1.	1. This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.								
2.	This REPORT consists of a total of	5	sheets, including	g this cover sheet.					
3.	This report is also accompanied by A	ANNEXES, comprising:							
	a. (sent to the applicant and	d to the International Bureau,	a total of	sheets, as follows:					
	sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).								
	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.								
	b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s))								
	<u> </u>	,	31						
, containing a sequence listing and/or tables related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).									
4.	This report contains indications relat	ing to the following items:							
	Box No. I Basis of the	e report							
	Box No. II Priority								
	Box No. III Non-establ	ishment of opinion with rega	rd to novelty, invent	ive step and industrial applicability					
	Box No. IV Lack of un	ity of invention							
	Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement								
	Box No. VI Certain do	cuments cited							
	Box No. VII Certain def	fects in the international appli	cation						
	Box No. VIII Certain observations on the international application								
Date of s	submission of the demand	Date	of completion of the	is report					
Name and mailing address of the IPEA/EP			orized officer						
Foosimil	a Na	Tala	nhana Ma						

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/EP2004/011722

Box	No. I	I Basis of the report						
1.		h regard to the language, this report is based on the internation cated under this item.	nal application in the language in which it was filed, unless otherwise					
	This report is based on translations from the original language into the following language which is the language of a translation furnished for the purposes of:							
		international search (Rule 12.3 and 23.1(b))						
		publication of the international application (Rule 12.4						
_	XX7:41.	international preliminary examination (Rule 55.2 and/	,					
2.	rece		report is based on (replacement sheets which have been furnished to the erferred to in this report as "originally filed" and are not annexed to					
		the international application as originally filed/furnished						
	\boxtimes	the description:						
		pages <u>1-9</u>	as originally filed/furnished					
		pages*	received by this Authority on					
		pages*	received by this Authority on					
	\boxtimes	the claims:						
		nos. <u>1-5</u>	as originally filed/furnished					
		nos.*	as amended (together with any statement) under Article 19					
		nos.*	received by this Authority on					
		nos.*	received by this Authority on					
	\boxtimes	the drawings:						
		sheets 1/3-3/3	as originally filed/furnished					
			received by this Authority on					
			received by this Authority on					
		a sequence listing and/or any related table(s) – see Supplement						
3.		The amendments have resulted in the cancellation of:						
		the description, pages	the description, pages					
			the claims, nos.					
		the sequence listing (specify):						
		any table(s) related to sequence listing (specify):						
4.			ments annexed to this report and listed below had not been made, since					
		the description, pages						
		the claims, nos.						
			the drawings, sheets/figs					
*	If ite	em 4 applies, some or all of those sheets may be marked "supe	erseded."					

International application No.
PCT/EP2004/011722

Novelty (N) Claims 1-5 YES	Box No. V		Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement				
Inventive step(IS) Claims Claims Claims Claims Claims Claims Claims Claims 1-5 Claims 1-5 Claims 1-5 Claims 1-5 Claims No 7ES No 2. Citations and explanations (Rule 70.7) 1 This report makes reference to the following documents: D1: DE 44 04 503 A1 (W. SCHLAFHORST AG &; CO, 41061 MOENCHENGLADBACH, DE) 29 September 1994 D2: EP-A-1 054 086 (RIETER INGOLSTADT SPINNEREIMASCHINENBAU AG) 22 November 2000 2 D1 is considered to be the closest prior art. D1 discloses (the reference in parentheses are to D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make	1.	Statement					
Inventive step(IS) Claims Claims Claims Claims Claims Claims Claims Claims 1-5 Claims 1-5 Claims 1-5 Claims 1-5 Claims No 7ES No 2. Citations and explanations (Rule 70.7) 1 This report makes reference to the following documents: D1: DE 44 04 503 A1 (W. SCHLAFHORST AG &; CO, 41061 MOENCHENGLADBACH, DE) 29 September 1994 D2: EP-A-1 054 086 (RIETER INGOLSTADT SPINNEREIMASCHINENBAU AG) 22 November 2000 2 D1 is considered to be the closest prior art. D1 discloses (the reference in parentheses are to D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make		Novelty	(N)	Claims	1-5	YES	
Claims 1-5 YES NO 2. Citations and explanations (Rule 70.7) 1. This report makes reference to the following documents: D1: DE 44 04 503 A1 (W. SCHLAFHORST AG &; CO, 41061 MOENCHENGLADBACH, DE) 29 September 1994 D2: EP-A-1 054 086 (RIETER INGOLSTADT SPINNEREIMASCHINENBAU AG) 22 November 2000 2. D1 is considered to be the closest prior art. D1 discloses (the reference in parentheses are to D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make							
Claims 1-5 YES NO 2. Citations and explanations (Rule 70.7) 1. This report makes reference to the following documents: D1: DE 44 04 503 A1 (W. SCHLAFHORST AG &; CO, 41061 MOENCHENGLADBACH, DE) 29 September 1994 D2: EP-A-1 054 086 (RIETER INGOLSTADT SPINNEREIMASCHINENBAU AG) 22 November 2000 2. D1 is considered to be the closest prior art. D1 discloses (the reference in parentheses are to D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make		Inventive step (IS)		Claims	1-5	YES	
2 Citations and explanations (Rule 70.7) 1 This report makes reference to the following documents: D1: DE 44 04 503 A1 (W. SCHLAFHORST AG &; CO, 41061 MOENCHENGLADBACH, DE) 29 September 1994 D2: EP-A-1 054 086 (RIETER INGOLSTADT SPINNEREIMASCHINENBAU AG) 22 November 2000 2 D1 is considered to be the closest prior art. D1 discloses (the reference in parentheses are to D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make							
2 Citations and explanations (Rule 70.7) 1 This report makes reference to the following documents: D1: DE 44 04 503 A1 (W. SCHLAFHORST AG &; CO, 41061 MOENCHENGLADBACH, DE) 29 September 1994 D2: EP-A-1 054 086 (RIETER INGOLSTADT SPINNEREIMASCHINENBAU AG) 22 November 2000 2 D1 is considered to be the closest prior art. D1 discloses (the reference in parentheses are to D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make		Industria	al applicability (IA)	Claims	1-5	YES	
This report makes reference to the following documents: D1: DE 44 04 503 A1 (W. SCHLAFHORST AG &; CO, 41061 MOENCHENGLADBACH, DE) 29 September 1994 D2: EP-A-1 054 086 (RIETER INGOLSTADT SPINNEREIMASCHINENBAU AG) 22 November 2000 2 D1 is considered to be the closest prior art. D1 discloses (the reference in parentheses are to D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make							
This report makes reference to the following documents: D1: DE 44 04 503 A1 (W. SCHLAFHORST AG &; CO, 41061 MOENCHENGLADBACH, DE) 29 September 1994 D2: EP-A-1 054 086 (RIETER INGOLSTADT SPINNEREIMASCHINENBAU AG) 22 November 2000 2 D1 is considered to be the closest prior art. D1 discloses (the reference in parentheses are to D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make	2	Citations an	d explanations (Pule 7	70.7)			
documents: D1: DE 44 04 503 A1 (W. SCHLAFHORST AG &; CO,	۷.				kes reference to the following		
D1: DE 44 04 503 A1 (W. SCHLAFHORST AG &; CO,		Τ.	_		kes reference to the following		
41061 MOENCHENGLADBACH, DE) 29 September 1994 D2: EP-A-1 054 086 (RIETER INGOLSTADT SPINNEREIMASCHINENBAU AG) 22 November 2000 2 D1 is considered to be the closest prior art. D1 discloses (the reference in parentheses are to D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make					503 A1 (W SCHLAFHORST AG & CO		
D2: EP-A-1 054 086 (RIETER INGOLSTADT SPINNEREIMASCHINENBAU AG) 22 November 2000 2 D1 is considered to be the closest prior art. D1 discloses (the reference in parentheses are to D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make							
2 D1 is considered to be the closest prior art. D1 discloses (the reference in parentheses are to D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make							
D1 is considered to be the closest prior art. D1 discloses (the reference in parentheses are to D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make							
discloses (the reference in parentheses are to D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make			O1 111				
D1): rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make		2	D1 is con	sider	ed to be the closest prior art. D1		
rotor spinning machine comprising a plurality of spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make							
spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make							
roller (41) and a feed roller (39) for feeding silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make		spin stations (2) which each have an opening roller (41) and a feed roller (39) for feeding					
silver to the opening roller (41), and which are equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make							
equipped with control units for individual drives of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make							
of the feed rollers (column 5, lines 11-31). This rotor spinning machine can be used to make							
This rotor spinning machine can be used to make			equipped	with o	control units for individual drives		
			of the fe	ed ro	llers (column 5, lines 11-31).		
novelty yarns by the selective control of the			This roto	r spi	nning machine can be used to make		
- -			novelty y	arns l	by the selective control of the		
individual drives of the respective feed roller.			individua	l dri	ves of the respective feed roller.		
2.1 Thus the subject matter of claim 1 differs from		2.1		_			
that known from D1 in that the control units (38)			that know	n from	m D1 in that the control units (38)		

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

each have a connection device (39) to which an additional control card (40) for producing novelty yarn with predetermined effects can be connected, said control card comprising a processor which meets the increased computing power demands associated therewith and which can be controlled via a data bus system (41).

2.2 The subject matter of claim 1 of the application

- 2.2 The subject matter of claim 1 of the application is therefore novel within the meaning of PCT Article 33(2).
- 3. The problem to be solved by the present invention can be regarded as that of improving a spinning machine in such a way that different novelty yarns can be produced by simple reprogramming of the machine, without the hardware being exchanged.
- 3.1 The characterizing part of claim 1 proposes solving the stated problem by means of an additional control card (40), said card having a processor that can be reprogrammed via a data bus system with data for independently controlling the production of different novelty yarns, and being connected via a connection device (39).
- 3.2 D2 discloses a control system in which exchangeable individual control devices (30A, 30B, 30C) are used which exchange data with central control devices (4) via a bus line (42). These control devices can contain means for optimizing spin settings (column 27, line 50 to column 28,

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.
PCT/EP2004/011722

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement line 6). 3.3 In spite of D2, the solution proposed in claim 1 of the application involves an inventive step (PCT Article 33(3)) because D2 does not sufficiently disclose anything that would make it possible for a person skilled in the art to use the control system of D2 in a spinning machine according to D1 in order to solve the problem stated under point 3. 4. Claims 1 to 5 are dependent on claim 1 and therefore also meet the PCT requirements for novelty and inventive step.